

TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P545 (B1845)

Delayed neutrons are fission neutrons that...

- A. are released at the instant of fission.
- B. are responsible for the majority of U-235 fissions.
- C. have reached thermal equilibrium with the surrounding medium.
- D. are expelled at a lower average kinetic energy than most other fission neutrons.



TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P845 (B1945)

Delayed neutrons are neutrons that...

- A. have reached thermal equilibrium with the surrounding medium.
- B. are expelled within  $1.0 \times 10^{-14}$  seconds of the fission event.
- C. are produced from the radioactive decay of certain fission fragments.
- D. are responsible for the majority of U-235 fissions.



TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P1145 (B1545)

Which one of the following is a characteristic of a prompt neutron?

- A. Expelled with an average kinetic energy of 0.5 MeV.
- B. Usually emitted by the excited nucleus of a fission product.
- C. Accounts for more than 99 percent of fission neutrons.
- D. Released an average of 13 seconds after the fission event.



TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P1445 (B1345)

A neutron that is expelled  $1.0 \times 10^{-2}$  seconds after the associated fission event is a \_\_\_\_\_ neutron.

- A. thermal
- B. delayed
- C. prompt
- D. capture



TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P1545

A neutron that is expelled  $1.0 \times 10^{-6}$  seconds after the associated fission event is a \_\_\_\_\_ neutron.

- A. thermal
- B. prompt
- C. delayed
- D. capture



TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P1945 (B1146)

Which one of the following types of neutrons has an average neutron generation lifetime of 12.5 seconds?

- A. Prompt
- B. Delayed
- C. Fast
- D. Thermal



TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P2045 (B2046)

In a comparison between a delayed neutron and a prompt neutron produced from the same fission event, the prompt neutron is more likely to... (Assume that both neutrons remain in the core.)

- A. require a greater number of collisions to become a thermal neutron.
  - B. be captured by U-238 at a resonance energy peak between 1 eV and 1000 eV.
  - C. be expelled with a lower kinetic energy.
  - D. cause thermal fission of a U-235 nucleus.
- ██████████

TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P2145 (B2145)

In a comparison between a delayed neutron and a prompt neutron produced from the same fission event, the prompt neutron is more likely to... (Assume that both neutrons remain in the core.)

- A. cause fast fission of a U-238 nucleus.
  - B. be captured by a U-238 nucleus at a resonance energy between 1 eV and 1000 eV.
  - C. be captured by a Xe-135 nucleus.
  - D. cause thermal fission of a U-235 nucleus.
- ██████████

TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P2345 (B2345)

A neutron that is released  $1.0 \times 10^{-10}$  seconds after the associated fission event is classified as a \_\_\_\_\_ fission neutron.

- A. delayed
  - B. prompt
  - C. thermal
  - D. spontaneous
- ██████████

TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P2445 (B3345)

In a comparison between a prompt neutron and a delayed neutron produced from the same fission event, the delayed neutron requires \_\_\_\_\_ collisions in the moderator to become thermal; and is \_\_\_\_\_ likely to cause fission of a U-238 nucleus. (Ignore the effects of neutron leakage.)

- A. more; more
  - B. more; less
  - C. fewer; more
  - D. fewer; less
- ██████████

TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P2545 (B2545)

In a comparison between a delayed neutron and a prompt neutron produced from the same fission event, the prompt neutron is more likely to...

- A. be captured by a Xe-135 nucleus.
  - B. cause thermal fission of a U-235 nucleus.
  - C. leak out of the core while slowing down.
  - D. be captured by a U-238 nucleus at a resonance energy.
- ██████████

TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P2645 (B2645)


In a comparison between a delayed neutron and a prompt neutron produced from the same fission event, the delayed neutron is more likely to...

- A. leak out of the core.
  - B. cause fission of a U-238 nucleus.
  - C. become a thermal neutron.
  - D. cause fission of a Pu-240 nucleus.
- ██████████

TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P2845 (B3145)


During a brief time interval in a typical reactor operating steady-state near the beginning of a fuel cycle,  $1.0 \times 10^3$  delayed neutrons were emitted.

Approximately how many prompt neutrons were emitted during this same time interval?

- A.  $1.5 \times 10^5$
  - B.  $6.5 \times 10^6$
  - C.  $1.5 \times 10^7$
  - D.  $6.5 \times 10^8$
- 

TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P2945 (B2945)


Which one of the following types of neutrons in a reactor is more likely to cause fission of a U-238 nucleus in the reactor fuel? (Assume that each type of neutron remains in the reactor core until it interacts with a U-238 nucleus.)

- A. Thermal neutron
  - B. Prompt fission neutron beginning to slow down
  - C. Delayed fission neutron beginning to slow down
  - D. Fission neutron at a U-238 resonance energy
- 

TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P3545 (B3545)


During a brief time interval in a typical reactor operating steady-state at the beginning of a fuel cycle,  $1.0 \times 10^5$  delayed neutrons were emitted.

Approximately how many prompt neutrons were emitted in the reactor during this same time interval?

- A.  $1.5 \times 10^5$
  - B.  $6.5 \times 10^6$
  - C.  $1.5 \times 10^7$
  - D.  $6.5 \times 10^8$
- 

TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P4123 (B4123)

A neutron that appears  $1.0 \times 10^{-16}$  seconds after the associated fission event is classified as a \_\_\_\_\_ fission neutron.


- A. delayed
  - B. prompt
  - C. thermal
  - D. spontaneous
- 



TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P4923 (B4923)


During a brief time interval in a typical reactor operating steady-state near the beginning of a fuel cycle,  $4.25 \times 10^5$  delayed neutrons were produced.

Approximately how many prompt neutrons were produced in the reactor during this same time interval?

- A.  $1.5 \times 10^6$
  - B.  $6.5 \times 10^6$
  - C.  $1.5 \times 10^7$
  - D.  $6.5 \times 10^7$
- 

TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P5023 (B2245)

In a comparison between a delayed neutron and a prompt neutron produced from the same fission event, the delayed neutron is more likely to... (Assume that each neutron remains in the core unless otherwise stated.)

- A. cause fission of a U-238 nucleus.
  - B. travel to an adjacent fuel assembly.
  - C. be absorbed in a B-10 nucleus.
  - D. leak out of the core.
- 

TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P7123 (B7123)

Which one of the following is the process that produces the majority of delayed neutrons in an operating nuclear plant reactor?

- A. A thermal neutron is absorbed by a fuel nucleus. After a period of time, the nucleus fissions and releases a delayed neutron.
- B. A thermal neutron is absorbed by a fuel nucleus. The fuel nucleus fissions. During the decay process of the fission products, a delayed neutron is emitted.
- C. A fast neutron is absorbed by a fuel nucleus. After a period of time, the nucleus fissions and releases a delayed neutron.
- D. A fast neutron is absorbed by a fuel nucleus. The fuel nucleus fissions. During the decay process of the fission products, a delayed neutron is emitted.



TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P7523 (B7523)

During a brief time interval in a typical reactor operating steady-state near the beginning of a fuel cycle,  $4.25 \times 10^{10}$  prompt neutrons were produced.

Approximately how many delayed neutrons were produced in the reactor during this same time interval?

- A.  $2.8 \times 10^8$
- B.  $6.5 \times 10^8$
- C.  $2.8 \times 10^9$
- D.  $6.5 \times 10^9$



TOPIC: 192001  
KNOWLEDGE: K1.02 [2.4/2.5]  
QID: P7677 (B7677)

Which one of the following is the process that produces the majority of prompt neutrons in an operating nuclear plant reactor?

- A. A thermal neutron is absorbed by a fuel nucleus. Almost immediately, the nucleus fissions and emits one or more prompt neutrons.
- B. A thermal neutron is absorbed by a fuel nucleus. Almost immediately, the fuel nucleus fissions and produces fission products. During the decay of the fission products, one or more prompt neutrons are emitted.
- C. A fast neutron is absorbed by a fuel nucleus. Almost immediately, the nucleus fissions and emits one or more prompt neutrons.
- D. A fast neutron is absorbed by a fuel nucleus. Almost immediately, the fuel nucleus fissions and produces fission products. During the decay of the fission products, one or more prompt neutrons are emitted.

